
Research Learning Experiences (RLEs)

Student Works

Fall 2023

Pleasure is Pain

Kenady Marshall

University of Maine at Farmington

Follow this and additional works at: <https://scholarworks.umf.maine.edu/rle>



Part of the [Creative Writing Commons](#)

Recommended Citation

Marshall, Kenady, "Pleasure is Pain" (2023). *Research Learning Experiences (RLEs)*. 29.
<https://scholarworks.umf.maine.edu/rle/29>


This Popular Culture - Student Projects is brought to you for free and open access by the Student Works at Scholar Works. It has been accepted for inclusion in Research Learning Experiences (RLEs) by an authorized administrator of Scholar Works. For more information, please contact sotley@maine.edu.



PLEASURE



IS



PAIN

DIFFERENT FORMS OF BIRTH CONTROL 4 WOMEN

• Birth Control Pills:
(may cause: headaches,
nausea, weight gain,
ache, fatigue, chest
pain...)



- IUD:
(may cause:
heavy bleeding,
pelvic infection,
belly pain,
pain
with
sex...)

- Vaginal ring:
(may cause: headaches,
nausea, ache, tenderness,
chest pain...)



CURRENTLY, IN THE
US, "the pill" IS THE
MOST POPULAR
FORM OF BIRTH
CONTROL.

DIFFERENT
BRANDS

INCLUDE:

Levonorgestrel/ethinyl estradiol
Norethindrone/ethinyl estradiol
Alova, Lissa, Aurovela Fe 1/20
Ametia, Lutera, Balzina
Ashlyn, Marlissa, Blissvi 24 Fe
Balcitra, Portia, Blissvi Fe 1.5/30
Camrese, Setlakin, Blissvi Fe 1/20
Daysee, Simpess, Brielyn, Merzee
Dolishale, Sronyx
Falcona, Gennity, Philith
Introlale Vienna
Joimiee, Aurovela 1.5/30, Genesis
Kurtuo, Aurovela 1/20, Haily 1/20
Larissa, Aurovela 24 Fe, June 1/20



AND MANY
MORE



BIRTH CONTROL 4 WOMEN:

COMBINATION DETAILED PATIENT LABELING
AND BRIEF SUMMARY

PREGNANCY DUE TO PILL FAILURE

Aviane

(levonorgestrel and
ethinyl estradiol tablets USP)

THIS PRODUCT (LIKE ALL ORAL CONTRACEPTIVES) IS INTENDED TO PREVENT PREGNANCY. IT DOES NOT PROTECT AGAINST HIV INFECTION (AIDS) AND OTHER SEXUALLY TRANSMITTED DISEASES.

Cigarette smoking increases the risk of serious adverse effects from oral contraceptives with age and with more cigarettes per day. There is a significantly increased risk in women over 35 years of age who are also cigarette smokers who use oral contraceptives.

RISKS OF TAKING ORAL CONTRACEPTIVES


1. Risks of Developing Blood Clots
2. Heart Attacks and Strokes
3. Gallbladder Diseases
4. Liver Tumors
5. Risk of Cancer

ESTIMATED RISK OF DEATH FROM A BIRTH CONTROL PREGNANCY

FRI
THU
WED
TUE
MON
SUN
SAT

VS.

birth control
for men?



- no nausea
- no ache
- no headaches
- no fatigue
- no weight gain

PRO-WOMEN
PRO-CHOICE



KEEP ABORTION
SAFE and LEGAL

MY BODY, MY CHOICE

by Ken Marshall

if you have a
vagina,

you have pain.

learn how to
ease it.

be informed.

be safe.